L Number	Hits	Search Text	DB	Time stamp
2	22	(generat r with controller) same monitor same	USPAT;	2003/03/25
2	22	emission	US-PGPUB	14:04
3	22	((generator with controller) same m nit r same	USPAT;	2003/03/25
ļ		emission) n t staphanos.in.	US-PGPUB	13:58
4	13	((generator with c ntroll r) same m nit r same emission) and phas	USPAT; US-PGPUB	2003/03/25 13:53
5	3	staphanos.in.	USPAT;	2003/03/25
_			US-PGPUB	13:58
6	1	staphanos.in. and lidar	USPAT; US-PGPUB	2003/03/25 15:08
7	125	(generator with controller) and (monitor with	USPAT:	2003/03/25
		emission) not ((generator with controller) same	US-PGPUB	14:04
		monitor same emission)		1
8	64	((generator with controller) and (monitor with emission) not ((generator with controller) same	USPAT; US-PGPUB	2003/03/25 14:05
		monitor same emission)) and phase		
9	22	(((generator with controller) and (monitor with emission) not ((generator with controller) same	USPAT; US-PGPUB	2003/03/25 14:09
		monitor same emission)) and phase) and network		
10	42	(((generator with controller) and (monitor with	USPAT;	2003/03/25
		emission) not ((generator with controller) same	US-PGPUB	14:09
		monitor same emission)) and phase) not		
		((((generator with controller) and (monitor with emission) not ((generator with controller) same		
		monitor same emission)) and phase) and		
		network)		
13	2	((emissions pollutant) with monitor) same lidar	USPAT;	2003/03/25
			US-PGPUB	15:19
16	0	scada with (power adj grid)	USPAT;	2003/03/25
17	. 0	scada same (power adj grid)	US-PGPUB USPAT;	15:24 2003/03/25
	J	second service and gring	US-PGPUB	15:24
18	1	scada same (power adj grid)	USPAT;	2003/03/25
			US-PGPUB;	16:00
			EPO; JPO;	
			DERWENT; IBM_TDB	
19	2041	(supervisory with control with data acquisition)	USPAT;	2003/03/25
	h T	with (consists means definition)	US-PGPUB;	16:07
		-	EPO; JPO;	
	1		DERWENT;	
21		Illeupopieopy with southed with data acceletical	IBM_TDB	2002/03/25
-	1	(((supervisory with control with data acquisition) with (consists means definition)) and(power with	USPAT; US-PGPUB;	2003/03/25 16:02
		grid)) and generators!	EPO; JPO;	.0.02
			DERWENT;	
			IBM_TDB	
20	14	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT;	2003/03/25
		with (consists means definition)) and(power with	US-PGPUB;	16:08
		grid)	EPO; JPO;	
			DERWENT; IBM_TDB	
22	Ō	(supervisory adj control adj data adj acquisition)	USPAT;	2003/03/25
		with (consists means definition)	US-PGPUB;	16:08
		·	EPO; JPO;	
			DERWENT;	į
23	87	(supervisory adj control adj data adj acquisiti n	IBM_TDB USPAT;	2003/03/25
23	67	adj system)	US-PGPUB;	2003/03/25 16:08
		· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
			DERWENT;	

24	7	((supervisory adj control adj data adj acquisition adj system) and(power with grid)	USPAT; US-PGPUB;	2003/03/25 16:08
ł			EPO; JPO;	
			DERWENT;	
			IBM TDB	1